

CHECHI®

indoor

outdoor

rental

stage

LED display Solution



Project Size



500*1000mm



500*500mm

High stability performance

Brightness of indoor LED products:

1000Nit

Brightness of outdoor LED products:

4500Nit

Color gamut:

100% NTSC



Refresh rate:

3840Hz

Contrast ratio:

6000:1

Gray scale: **14Bit**

The LED cabinet is designed with its own handle.

Design of corner
protectors


Power in

Power Out

Signal

Side - mounted
handle design.

Power indicator light



Corner-protection design provides comprehensive protection.

The easily-pressed semi-automatic corner protectors protect both the cabinet and the modules.



Aviation plug interface for quick connection and stability.

The power supply of the cabinet uses aviation plug connections for greater stability and safety.

Standardized aviation plugs of branded products are provided as standard, and NEUTRIK aviation plugs are optional.





EASY TO INSTALL

MORE FREE COMBINATION QUICK INSTALLATION


Support conventional splicing installation mode.

Support special-shaped splicing and installation.
Multiple size combinations bring more possibilities for assembly.



Quick assembly, seamless fit.

The left and right sides of the cabinet are connected by quick locks to ensure the flatness of the picture, reduce the splicing gap and make the image clearer.




The product can be optionally equipped with a radian lock for installation in internal and external arc modes.

Multi-directional maintenance, all under control.

Front maintenance of modules/Full rear maintenance.

It can ensure stability in various installation scenarios.





LED modules



Various cables



receiving cards



power supply equipment

integrates into



The LED cabinet



splicing installation



LED Display


commission



Control computer




Video processor



Specification

Product series	BTY-B										
product model	BTY019B11	BTY026B11	BTY029B11	BTY039B11	BTY026B12	BTY029B12	BTY039B12	BTY039B01	BTY048B01	BTY039B02	BTY048B02
LED cabinet size (mm)	500x500	500x500	500x500	500x500	500x1000	500x1000	500x1000	500x500	500x500	500x1000	500x1000
Pixel pitch	1.9mm	2.6mm	2.9mm	3.9mm	2.6mm	2.9mm	3.9mm	3.9mm	4.8mm	3.9mm	4.8mm
LED type	SMD1515	SMD2020	SMD2020	SMD2020	SMD2020	SMD2020	SMD2020	SMD1921	SMD1921	SMD1921	SMD1921
Gray scale	14-16	14-16	14-16	14-16	14-16	14-16	14-16	14-16	14-16	14-16	14-16
LED module(mm)	250*250	250*250	250*250	250*250	250*250	250*250	250*250	500*250	500*250	500*250	500*250
Weight(kg)	7.05				14.7			7.69		14.7	
Application scenarios	indoor							outdoor			

Project Scenario





THANK YOU

Email: supervise@chechitech.com

WhatsApp: +86 1806161 6062

<https://chechi.en.made-in-china.com/>

Address: Second Floor, Building 1, No. 9 Gaohu Road, Jiangning District, Nanjing, Jiangsu, China

Nanjing Chechi Technology Co., Ltd